



No. 1331 CoE/Dt. 21/8/2021
(VT-XVI-02/2019)

From,

Sri S.K.Mishra,
Controller of Examinations.

To

The Principal, ITI Cuttack / Balasore / Berhampur / Bhubaneswar
/ Rourkela / Hirakud / Talcher & Bhawanipatna .

Sub:-Form fill-up Programme & collection of Fees for AITT CoE-Sept-2021 for Craftsman
(BBBT of One Year duration & Advance Module of Six Months duration) .

Ref: DGT Letter No MSDE-18011/1/COE/2021-TTC (E-File No .36319)

Sir,

In inviting a reference to the DGT letter on the subject cited above, I am to say that, the form fill-up for AITT CoE-Sept-2021 of One Year duration & Advance Module of Six Months duration) will commence from 3rd September-2021.

You are requested to make necessary arrangement for filling up of Forms of the eligible Trainees under the Scheme CoE from 23.08.2021 to 25.08.2021 .

Examination Fee @ Rs. 400.00 (Rupees Four Hundred) Only per Trainee shall be collected from the Trainee out of which Rs.100.00 (Rupees One Hundred) per trainee is to be retained by the ITI towards Centre Charges and other Examination expenditure. The balance amount of Rs. 300.00 (Rupees Three Hundred) Only per Trainee is to be deposited in the following SCTE&VT (O) Account.


Account Details:

Name of Account	Account No	Bank	IFSC Code
Vice-Chairman ,SCTE&VT ,Odisha , Bhubaneswar	127510011000510	Union Bank of India (1275) ,CESCO ,Power House Square , Vidyut Marg Unit-8 Bhubaneswar ,Odisha-751012	UBIN0812757 (RTGS/NEFT)

The CoE conducting ITI s shall deposit the Fee through NEFT/RTGS in favour of the Vice-Chairman ,SCTE&VT ,Odisha, Bhubaneswar and submit the proof of Fee deposit along with Form fill up list in Excel Format in the Email : dciti.sctevt@gmail.com of the SCTE&VT (O) on or before 26.08.2021 for reconciliation.

No admit Cards shall be generated for the non-deposit of Examination Fee in scheduled time. The admit Cards and Blank answer Books shall be handed over to the authorized deputed Staff on 26th August-2021.

Yours faithfully,


21/8/21
Controller of Examinations.